



Isilon IQ X-Series

Flexibility, Scalability, Performance

Scalability & Performance

- High concurrent access and scalable capacity in a single global namespace
- Scalable up to 10.4 PB
- Maximum aggregate throughput of over 45 GBps
- 60-second on-the-fly scaling of capacity and/or performance
- Namespace Operation Acceleration via SSD
- Up to N+4 data protection, set at cluster, directory, or file level

Use Cases

The Isilon X-Series, powered by the OneFS Operating System is ideal for high-concurrency and high-throughput applications and workflows.

- **Digital Media:** broadcast, post production, and DI (digital intermediate)
- **Internet/Web 2.0:** online video, audio, and image serving; Web-analytics
- **Life Sciences:** genetic sequencing and large scale microscopy environments
- **Electronic Design Automation:** design team collaboration, design libraries, tool scripts, and design implementation databases
- **Virtualized Environments:** Tier 2 and Tier 3 workloads
- **HPC and Research:** Large sequential IO and throughput. Tier 2 results analysis and instrument data.


The Isilon IQ X-Series, powered by the OneFS® operating system, uses Isilon's powerful yet simple scale-out storage architecture to speed access to massive amounts of critical data, while dramatically reducing cost and complexity. The Isilon IQ X-Series delivers a flexible solution to accelerate your high-concurrent and sequential-throughput applications. In addition, with SSD technology for file-system metadata, the Isilon X-Series significantly accelerates namespace intensive operations.

Agility and Flexibility: The Isilon X-Series is the first scale-out storage solution capable of scaling from a few terabytes to multiple petabytes and up to 45 gigabytes per second (GBps) of throughput, all within a single file system. On-the-fly scaling enables your organization to quickly grow capacity and performance linearly or independently, for ultimate agility.

Simplicity: Isilon's modular architecture and intelligent software make deployment and management simple. Once racked, you can have an X-Series cluster online in less than 10 minutes, without time-consuming, expensive integration services. An X-Series cluster provides a single pool of storage with a global namespace, eliminating the need to support multiple volumes and file systems.

High Efficiency: Isilon scale-out storage delivers much higher utilization rates than traditional NAS or SAN storage—over 80 percent versus 50 percent for competing solutions. That translates into greater overall efficiency, resulting in lower acquisition, operating, and maintenance costs. Low power consumption and maximum density further ensure the ultra-low overhead of Isilon storage.

The Isilon IQ X-Series provides the performance, scalability, and agility to conquer your storage challenges.



Isilon X-Series Product Specifications

Product Attributes

| | |
|--------------------------------------|---|
| Scale-out Architecture | Truly distributed, fully symmetric clustered architecture that combines modular storage nodes with Isilon's intelligent software. |
| Modular Design | Self-contained nodes include server, software, and disks in a 2U rack-mountable node (4U for the IQ 36000X/72000X). |
| Operating System | Sixth-generation Isilon® OneFS® distributed file system. Creates a cluster with a single file system and single global namespace. Fully journaled, fully distributed, globally coherent write/read cache. |
| High Availability | No single point of failure. Self-healing design protects against disk or node failure. Includes backend intra-cluster failover. |
| Scalability | Initial cluster setup in under 10 minutes. Add performance and capacity in 60 seconds. Up to 10.4 PB and 45 GBps throughput. |
| Protection Levels | FlexProtect file-level striping with support for N+1 through N+4 and mirroring data protection schemes. |
| Protocol Support | iSCSI, NFS v3 (UDP or TCP), SMB v1, HTTP, FTP, NDMP, SNMP, LDAP, ADS, NIS. |
| Client Support | Microsoft® Windows®, Linux, UNIX, Apple® Macintosh. |
| Isilon Software Compatibility | Compatible with all Isilon licensable software: SyncIQ™, SnapshotIQ™, SmartConnect™, SmartQuotas™, SmartPools™, InsightIQ™ and Aspera for Isilon IQ. |

Environmental Specifications

| | |
|-----------------------------------|---|
| Power Supply | Dual-redundant, hot-swappable 650W (1200W for IQ 36000X/72000X) power supplies with Power Factor Correction (PFC) |
| Operating Environment | 50° F to 95° F (10° C to 35° C), 5% to 95% relative humidity, non-condensing |
| Dimension/Weight | Height: 3.48" (8.8 cm), Width: 18.87" (48 cm), Depth: 28.5" (72.4 cm), Weight: 58.2 lbs / 26.4 kg IQ 36000X/72000X: Height: 6.96" (17.7 cm), Width: 18.90" (48 cm), Depth: 31.25" (79.4 cm), Weight 130 lbs / 59 kg |
| Minimum Service Clearances | Front: 35" (88.9 cm), Rear: 14" (35.6 cm) |

| Isilon IQ Node Attributes | 1920X | 6000X / 12000X | 36000X / 72000X | 10000X-SSD | 32000X-SSD |
|---|-------------------------------|---------------------------|--|----------------|----------------------|
| Capacity | 1.92 | 6.00 / 12.00 TB | 36.00 / 72.00 TB | 10.2TB | 32.4 TB |
| Hard Drives (3.5" SATA-2) | Twelve (12) 160 | Twelve (12) 500 GB / 1 TB | Thirty-six (36) 1 / 2 TB | Ten (10) 1 TB | Thirty-two (32) 1 TB |
| Solid State Drives (SLC) | N/A | N/A | N/A | Two (2) 100 GB | Four (4) 100 GB |
| Storage Expansion | N/A | Serial Attached SCSI | N/A | N/A | N/A |
| Infrastructure Networking | 2 InfiniBand connections | | | | |
| Non-volatile RAM (NVRAM) | 512 MB | | | | |
| ECC Memory (FBDiMM cache) | 4 GB | | 16 GB | | |
| CPU Type | 2.33 GHz Quad-core Intel Xeon | | Dual 2.33 GHz Quad-core Intel Xeon | | |
| Front-end Networking | 2 x GigE (Copper) | | 4 x GigE OR 2 x GigE & 2 x 10GE (SFP+ or Copper) | | |
| Typical Power Consumption @ 100v | 3.6A | | 8.0A | 3.6A | 8.0A |
| Typical Power Consumption @ 240v | 1.5A | | 3.0A | 1.5A | 3.0A |
| Typical Thermal Rating | 1,250 BTU/hr | | 2,500 BTU/hr | 1,250 BTU/hr | 2,500 BTU/hr |

| Isilon IQ Cluster Attributes (min. to max.) | 1920X – 12000X | 36000X – 72000X | 10000X-SSD | 32000X-SSD |
|---|----------------|-----------------|----------------|-----------------|
| Number of nodes | 3 to 144 | 3 to 144 | 3 to 144 | 3 to 144 |
| Capacity (TB) | 5.7 to 1,728 | 108 to 10,368 | 30.6 to 1468.8 | 97.2 to 4,665.6 |
| Memory (GB) | 12 to 576 | 12 to 2304 | 12 to 2,304 | 48 to 2,304 |
| Rack Units (RU) | 6 to 288 | 12 to 576 | 6 to 288 | 6 to 288 |

Isilon's Comprehensive Storage Solutions... Powerful, Yet Simple

The Isilon IQ X-Series product line, along with the Isilon IQ S-Series and NL-Series product lines, provide a complete portfolio of innovative solutions that drive business value for customers by optimizing their mission-critical applications, workflows, and processes. Isilon enables enterprises and research organizations worldwide to manage large and rapidly growing amounts of data in a highly-scalable, easy-to-manage, and cost-effective way.

Isilon Systems, Inc. • www.isilon.com
3101 Western Ave, Seattle, WA 98121

Toll-Free: 877-2-ISILON • **Phone:** +1-206-315-7602
Fax: +1-206-315-7501 • **Email:** sales@isilon.com

© 2001-2010 Isilon Systems, Inc. All rights reserved. Isilon, Isilon Systems and OneFS are registered trademarks, and SyncIQ, SnapshotIQ, SmartQuotas, SmartConnect, SmartPools and InsightIQ are trademarks of Isilon Systems, Inc. Isi-B14-0810

